

# Safety Data Sheet Spartan Chemical Company, Inc.

Revision Date: 02-Jul-2024

## 1. PRODUCT AND COMPANY IDENTIFICATION

**Product Identifier** 

Product Name: BED BUG AND LICE KILLER

Product Number: 6905
Recommended Use: Insecticide

Uses Advised Against: For Industrial and Institutional Use Only

**Manufacturer/Supplier:** Spartan Chemical Company, Inc.

1110 Spartan Drive Maumee, Ohio 43537 USA 800-537-8990 (Business hours) www.spartanchemical.com

24 Hour Emergency Phone Numbers:

**Medical Emergency/Information:** 888-314-6171

Transportation/Spill/Leak: CHEMTREC 800-424-9300

#### 2. HAZARDS IDENTIFICATION

**GHS Classification** 

Skin Sensitization:

Aspiration Toxicity:

Flammable Aerosols

Gases Under Pressure

Category 1

Category 1

Category 1

Liquefied gas

**GHS Label Elements** 

Signal Word:

Symbols:



Hazard Statements: May cause an allergic skin reaction

May be fatal if swallowed and enters airways

Extremely flammable aerosol.

Contains gas under pressure; may explode if heated

Precautionary Statements:

**Prevention:** Avoid breathing dust/fume/gas/mist/vapors/spray

Contaminated work clothing should not be allowed out of the workplace

Wear protective gloves

Keep away from heat/sparks/open flames/hot surfaces. — No smoking

Do not spray on an open flame or other ignition source Pressurized container: Do not pierce or burn, even after use

Intentional misuse by deliberately concentrating and inhaling contents may be harmful or

fatal

Response:

-Skin IF ON SKIN: Wash with plenty of soap and water If skin irritation or rash occurs: Get

medical attention. Wash contaminated clothing before reuse.

-Ingestion: IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician Do NOT

induce vomiting.

Revision Date: 02-Jul-2024

See Safety Data Sheet Section 4: "FIRST AID MEASURES" for additional information. -Specific Treatment:

Store locked up. Protect from sunlight. Do not expose to temperatures exceeding 122°F Storage:

(50°C) Store in a well-ventilated place

Disposal: Dispose of contents and container in accordance with local, state and federal regulations.

**Hazards Not Otherwise Classified:** Not Applicable

Other Information: · May be harmful if swallowed

· May cause skin irritation.

· May cause eye irritation

• Inhalation of vapors or mist may cause respiratory irritation.

· Keep out of reach of children

## 3. COMPOSITION / INFORMATION ON INGREDIENTS

| Chemical Name   | CAS No     | Weight-% |
|-----------------|------------|----------|
| Water           | 7732-18-5  | 40-70    |
| C13-14 Alkane   | 64742-47-8 | 10-30    |
| Butane          | 106-97-8   | 7-13     |
| Propane         | 74-98-6    | 1-5      |
| Permethrin      | 52645-53-1 | 0.1-1    |
| Sodium Benzoate | 532-32-1   | 0.1-1    |

Specific chemical identity and/or exact percentage of composition has been withheld as a trade secret.

#### 4. FIRST AID MEASURES

Rinse cautiously with water for several minutes. Remove contact lenses, if present and -Eye Contact:

easy to do. Continue rinsing. If eye irritation persists: Get medical attention.

Wash with plenty of soap and water. If skin irritation or rash occurs: Get medical attention. -Skin Contact:

Wash contaminated clothing before reuse.

Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a -Inhalation:

poison control center or physician if you feel unwell.

IMMEDIATELY CALL A POISON CENTER OR PHYSICIAN. Do NOT induce vomiting. -Ingestion:

Note to Physicians: Contains petroleum distillates. Possible aspiration hazard.

## 5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media:

Specific Hazards Arising from the

Chemical:

Water spray (fog). Foam.

Extremely flammable aerosol. Exposure to high temperature may cause containers to burst.

Bursting aerosol containers may be propelled from fire at high speed.

**Hazardous Combustion Products:** May include Carbon monoxide Carbon dioxide and other toxic gases or vapors.

**Protective Equipment and Precautions for Firefighters:**  Wear MSHA/NIOSH approved self-contained breathing apparatus (SCBA) and full protective gear. Water may be used to cool closed containers to prevent pressure build-up

and possible auto ignition or explosion when exposed to extreme heat.

## 6. ACCIDENTAL RELEASE MEASURES

**Personal Precautions:** Avoid contact with eyes and skin. Use personal protective equipment as required. Remove

all sources of ignition.

**Environmental Precautions:** Methods for Clean-Up:

Do not rinse spill onto the ground, into storm sewers or bodies of water.

Prevent further leakage or spillage if safe to do so. Contain and collect spillage with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see Section 13). 7. HANDLING AND STORAGE

Advice on Safe Handling: Handle in accordance with good industrial hygiene and safety practice. Intentional misuse

by deliberately concentrating and inhaling contents may be harmful or fatal. Keep away from heat/sparks/open flames/hot surfaces. — No smoking. Wash thoroughly after

Revision Date: 02-Jul-2024

andling.

Storage Conditions: NFPA 30B Level 1 Aerosol. Do not store in direct sunlight or above 122 F° / 50 C°.

Exposure to high temperature may cause containers to burst. Keep out of the reach of

children.

## 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

**Occupational Exposure Limits:** 

| Chemical Name | ACGIH TLV                 | OSHA PEL                              | NIOSH                       |
|---------------|---------------------------|---------------------------------------|-----------------------------|
| Butane        | STEL: 1000 ppm            | (vacated) TWA: 800 ppm                | TWA: 800 ppm                |
| 106-97-8      |                           | (vacated) TWA: 1900 mg/m <sup>3</sup> | TWA: 1900 mg/m <sup>3</sup> |
| Propane       | : See Appendix F: Minimal | TWA: 1000 ppm                         | IDLH: 2100 ppm              |
| 74-98-6       | Oxygen Content            | TWA: 1800 mg/m <sup>3</sup>           | TWA: 1000 ppm               |
|               |                           | (vacated) TWA: 1000 ppm               | TWA: 1800 mg/m <sup>3</sup> |
|               |                           | (vacated) TWA: 1800 mg/m <sup>3</sup> |                             |

**Engineering Controls:** Provide good general ventilation.

If work practices generate dust, fumes, gas, vapors or mists which expose workers to chemicals above the occupational exposure limits, local exhaust ventilation or other

engineering controls should be considered.

Personal Protective Equipment

Eye/Face Protection: Wear splash goggles.

**Skin and Body Protection:** Wear rubber or other chemical-resistant gloves.

**Respiratory Protection:** Not required with expected use.

If occupational exposure limits are exceeded or respiratory irritation occurs, use of a NIOSH/MSHA approved respirator suitable for the use-conditions and chemicals in Section

3 should be considered.

General Hygiene Considerations: Wash hands and any exposed skin thoroughly after handling.

See 29 CFR 1910.132-138 for further guidance.

#### 9. PHYSICAL AND CHEMICAL PROPERTIES

| Appearance/Physical State:      | Aerosol                                      |  |
|---------------------------------|--|--|
|                                 |  |  |
| Color:                          | White emulsion                               |  |
| Odor:                           | solvent                                      |  |
| pH:                             | 7.5-8.5                                      |  |
| Melting Point / Freezing Point: | No information available                     |  |
| Boiling Point / Boiling Range:  | 123 °C / 253 °F (Product without propellant) |  |
| Flash Point:                    | < -18 °C / < 0 °F (Propellant-estimated)     |  |
| Evaporation Rate:               | < 1 (Butyl acetate = 1)                      |  |
| Flammability (solid, gas)       | No information available                     |  |
| Upper Flammability Limit:       | No information available                     |  |
| Lower Flammability Limit:       | No information available                     |  |
| Vapor Pressure:                 | No information available                     |  |
| Vapor Density:                  | No information available                     |  |
| Specific Gravity:               | 0.86 (Product without propellant)            |  |
| Solubility(ies):                | Miscible in water                            |  |
| Partition Coefficient:          | No information available                     |  |
| Autoignition Temperature:       | No information available                     |  |
| Decomposition Temperature:      | No information available                     |  |
| Viscosity:                      | No information available                     |  |

## **10. STABILITY AND REACTIVITY**

Reactivity: This material is considered to be non-reactive under normal conditions of use.

Chemical Stability: Stable under normal conditions.

Page 3/6

Possibility of Hazardous Reactions: Not expected to occur with normal handling and storage.

**Conditions to Avoid:** Heat, flames and sparks.

**Incompatible Materials:** Strong oxidizing agents. Strong acids.

Hazardous Decomposition May include carbon monoxide, carbon

Products:

May include carbon monoxide, carbon dioxide (CO2) and other toxic gases or vapors.

Revision Date: 02-Jul-2024

## 11. TOXICOLOGICAL INFORMATION

**Likely Routes of Exposure:** Eyes, Skin, Ingestion, Inhalation.

Symptoms of Exposure:

**-Eye Contact:** Pain and redness.

-Skin Contact: Drying of the skin. May cause sensitization by skin contact

-Inhalation: Nasal discomfort and coughing. Intentional misuse by deliberately concentrating and

inhaling contents may be harmful or fatal.

**-Ingestion:** Pain, nausea, vomiting and diarrhea. Potential for aspiration if swallowed.

Immediate, Delayed, Chronic Effects

Product Information: Data not available or insufficient for classification.

Target Organ Effects: Central nervous system.

**Numerical Measures of Toxicity** 

The following acute toxicity estimates (ATE) are calculated based on the GHS document.

ATEmix (inhalation-gas): 2036129 mg/l

**Component Acute Toxicity Information** 

| Chemical Name               | Oral LD50            | Dermal LD50           | Inhalation LC50      |
|-----------------------------|----------------------|-----------------------|----------------------|
| Water<br>7732-18-5          | > 90 mL/kg(Rat)      | Not Available         | Not Available        |
| C13-14 Alkane<br>64742-47-8 | > 5000 mg/kg (Rat)   | > 2000 mg/kg (Rabbit) | > 5.2 mg/L (Rat)4 h  |
| Butane<br>106-97-8          | Not Available        | Not Available         | = 658 g/m³ (Rat) 4 h |
| Propane<br>74-98-6          | Not Available        | Not Available         | = 658 mg/L (Rat) 4 h |
| Permethrin 52645-53-1       | = 220 mg/kg(Rat)     | > 5000 mg/kg (Rat)    | > 0.69 mg/L (Rat)4 h |
| Sodium Benzoate<br>532-32-1 | = 4070 mg/kg ( Rat ) | Not Available         | Not Available        |

Carcinogenicity: No components present at 0.1% or greater are listed as to being carcinogens by ACGIH, IARC, NTP or OSHA

## 12. ECOLOGICAL INFORMATION

**Ecotoxicity** 

| Chemical Name               | Algae/Aquatic Plants | Fish  | Toxicity to<br>Microorganisms | Crustacea     |
|-----------------------------|----------------------|---|-------------------------------|---------------|
| C13-14 Alkane<br>64742-47-8 | Not Available        | 45: 96 h Pimephales<br>promelas mg/L LC50<br>flow-through 2.2: 96 h<br>Lepomis macrochirus mg/L<br>LC50 static 2.4: 96 h<br>Oncorhynchus mykiss mg/L<br>LC50 static   | Not Available                 | Not Available |
| Permethrin<br>52645-53-1    | Not Available        | 0.008 - 0.03: 96 h Pimephales promelas mg/L LC50 flow-through 0.001 - 0.009: 96 h Pimephales promelas mg/L LC50 static 0.015: 96 h Cyprinus carpio mg/L LC50 flow-through 0.0052 - 0.0077: 96 h Cyprinus carpio mg/L LC50 0.00079: 96 h Lepomis macrochirus mg/L LC50 flow-through 0.0108: 96 h | Not Available                 | Not Available |

Lepomis macrochirus mg/L LC50 0.00188 - 0.00336: 96 h Lepomis macrochirus mg/L LC50 static 0.00049 -0.00097: 96 h Oncorhynchus mykiss mg/L LC50 flow-through 0.0017 -0.0048: 96 h Oncorhynchus mykiss mg/L LC50 static 420 - 558: 96 h Pimephales Sodium Benzoate Not Available Not Available 650: 48 h Daphnia magna 532-32-1 promelas mg/L LC50 mg/L EC50 flow-through 100: 96 h Pimephales promelas mg/L LC50 static

Persistence and Degradability:No information available.Bioaccumulation:No information available.Other Adverse Effects:No information available

## 13. DISPOSAL CONSIDERATIONS

**Disposal of Wastes:** Dispose of in accordance with federal, state and local regulations.

Contaminated Packaging: Pressurized container: Do not pierce or burn, even after use. Dispose of in accordance with

federal, state and local regulations.

## 14. TRANSPORT INFORMATION

DOT:

UN/ID No: UN 1950

Proper Shipping Name: Aerosols, flammable

Hazard Class: 2.

Special Provisions: This aerosol product meets the exception requirements of 49 CFR 173.306 when packed in

strong outer packaging. Such material may be reclassified as "Limited Quantity". Shipping descriptions may vary based on mode of transport, quantities, package size, and/or origin and destination. Check with a trained hazardous materials transportation

Revision Date: 02-Jul-2024

expert for information specific to your situation.

**IMDG**:

**UN/ID No:** UN 1950

Proper Shipping Name: Aerosols, flammable

Hazard Class: 2.1

## 15. REGULATORY INFORMATION

TSCA Status: (Toxic Substance Control Act Section 8(b) Inventory)

All chemical substances in this product are included on or exempted from listing on the TSCA Inventory of Chemical Substances.

#### **SARA 313**

This product does not contain listed substances above the "de minimus" level

SARA 311/312 Hazard Categories

Acute Health Hazard:
Chronic Health Hazard:
No
Fire Hazard:
Sudden release of pressure hazard:
No
Reactive Hazard:
No

California Proposition 65

This product is not subject to warning requirements under California Proposition 65.

EPA Pesticide Registration Number: 10900-86-5741

**EPA Statement:** 

Revision Date: 02-Jul-2024

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

#### **EPA Pesticide Label:**

Caution: Harmful if absorbed through skin. Avoid contact with skin, eyes or clothing.

# **16. OTHER INFORMATION**

Health Hazards: 2 NFPA Flammability: 2 Instability: 0 Special: N/A

HMIS Health Hazards: 2\* Flammability: 2 Physical Hazards: 2

**Revision Date:** 02-Jul-2024 **Reasons for Revision:** Section, 7, 14

#### Disclaimer:

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**